

TSUBAKIMOTO CHAIN CO.

Headquarters

Group companies

Nakanoshima Mitsui Building 3-3-3 Nakanoshima, Kita-ku Osaka, 530-0005, Japan Phone :+81-6-6441-0011 URL : http://tsubakimoto.com

NORTH and SOUTH AMERICA

U.S. TSUBAKI POWER TRANSMISSION, LLC 301 E. Marquardt Drive, Wheeling, IL 60090, U.S.A. Phone : +1-847-459-9500 URL : http://www.ustsubaki.com

EUROPE

TSUBAKIMOTO EUROPE B.V. Aventuriin 1200, 3316 LB Dordrecht, The Netherlands Phone : +31-78-620-4000 URL : http://tsubaki.eu

000 "TSUBAKI KABELSCHLEPP" Prospekt Andropova 18, Building 6 115432 Moscow, Russia Phone :+7-499-418212 URL :http://tsubaki.eu

ASIA and OCEANIA

TAIWAN TSUBAKIMOTO CO. No. 33, Lane 17, Zihciang North Road Gueishan Township Taoyuan County Taiwan R.O.C. Phone : +886-3-3293827/8/9 URL : http://tsubakimoto.com.tw

TSUBAKIMOTO CHAIN (SHANGHAI) CO. I TD. Room 601, Urban City Centre, 45 Nanchang Road Huangpu District, Shanghai 2000020, People's Republic of China Phone :+86-21-5396-6651/2 URL : http://chunben.com

PT. TSUBAKI INDONESIA TRADING Wisma 46 - Kota BNI, 24th Floor, Suite 24,15 Jl. Jend. Sudirman, Kav. 1, Jakarta 10220, Indonesia Phone :+62-21-571-4230/31 URL : http://tsubaki.sg

Distributed by:

TSUBAKI of CANADA LIMITED 1630 Drew Road, Mississauga, Ontario, L5S 1J6, Canada Phone : +1-905-676-0400 URL : http://tsubaki.ca

TSUBAKIMOTO U.K. LTD Osier Drive, Sherwood Park, Annesley, Nottingham NG15 0DX, United Kingdom Phone : +44-1623-688-700 URL : http://tsubaki.eu

Chain & Power Transmission Sales

1-3 Kannabidai 1-chome

Kyoto, 610-0380, Japan

Phone : +81-774-64-5022

Kvoutanabe.

TSUBAKIMOTO SINGAPORE PTE. LTD. 25 Gul Lane, Jurong, Singapore 629419 Phone :+65-6861-0422/3/4 URL : http://tsubaki.sg Vietnam Representative Office Phone : +84-8-3999-0131/2

TSUBAKIMOTO (THAILAND) CO. I TD. 388 Exchange Tower, 19th Floor Unit 1902 Sukhumvit Road, Klongtoey, Bangkok 10110, Thailand Phone : +66-2-262-0667/8/9 URL : http://tsubaki.co.th

TSUBAKI POWER TRANSMISSION (MALAYSIA) SDN. BHD. No. 22. Jalan Astaka U8/84A. Bukit Jelutong Industrial Park Section U8, 40150 Shah Alam, Selangor, Malaysia Phone : +60-3-7859-8585 URL : http://tsubaki.sg

: http://tsubaki.ind.br TSUBAKI DEUTSCHLAND GmbH ASTO Park Oberofaffenhofen, Friedrichshafener Straße 1 D-82205, Gilching, Germany Phone : +49-8105-7307100

TSUBAKI BRASIL EQUIPAMENTOS INDUSTRIAIS LTDA.

R. Pamplona, 1018, CJ, 73/74, Jd, Paulista

CEP 01405-001, São Paulo, S.P.Brazil

Phone : +55-11-3253-5656

: http://tsubaki.eu

URL

URL

TSUBAKI AUSTRALIA PTY. LTD. Unit E, 95-101 Silverwater Road Silverwater NSW 2128, Australia Phone :+61-02-9704-2500 URL : http://tsubaki.com.au New Zealand Branch

Phone : +64-275-082-726

TSUBAKI INDIA POWER TRANSMISSION PTF. I TD. Chandrika Chambers No.4, 3rd Floor, Anthony Street Royapettah, Chennai, Tamil Nadu 600014, India Phone :+91-44-4231-5251 URL : http://tsubaki.sq

TSUBAKIMOTO KOREA CO., LTD. #1004~1005 East Wing, Hanshin Intervalley 24. 322, Yeoksam-dong, Teheran-ro, Gangnam-gu, Seoul 1004, Republic of Korea Phone :+82-02-2183-0311 URL : http://tsubakimoto.com





Tsubaki Power and Performance For the Medical Equipment Industry



Transferring

A wide range of Tsubaki products support the needs of the medical industry.

Meeting customers' needs for quality and functionality and contributing to the creation of reliable equipment.

Tsubaki's extensive line-up of products supports every function of medical equipment, taking advantage of the company's many successes and experience with various applications.

Contact a Tsubaki representative to learn more about the total solutions we can provide when developing new equipment or reviewing existing models.

Tsubaki products for medical equipment needs

Need	Applicable products	Features
Silence	Worm Power Drive®	Reduces vibration and noise thanks to the sliding contact of a worm gear.
	CABLEVEYOR® TKR Series	Quiet thanks to its flexible structure that makes use of the flexibility of plastic.
Safety	Worm Power Drive®	Maintains load using a self-locking worm gear.
	Power Cylinder	Maintains load using a mechanical brake and self-locking worm gear.
Compactness	ZIP CHAIN ACTUATOR®	Allows installation in narrower spaces than with linear actuators.

What is "self-locking?"

A worm reducer is said to be self-locking if the input shaft does not begin to turn when force is applied to the output shaft to turn it from a standstill condition.







Power Cylinder





ZIP CHAIN LIFTER®







TKC


(Closed type)



TKR (Low noise, low dust generation)

(Features of TKR) Achieves best-in-its-class low vels of noise and dust eration thanks to its bending structure that makes use of the flexibility of plastic

CABLEVEYOR®









Self-lockin

to incorporate into equipment.

Computed Tomography System

Providing Combined Equipment



We offer multi-functional modules each combining the optimal selection of products from Tsubaki Group's expansive line-up. From X-ray generators to bed lifts, Tsubaki offers solutions to customer needs.



(1)

Hanging

Rotating

Safe and silent thanks to a self-locking worm reducer. Allows for smooth movement of the equipment.

Elevating

Transferring



ZIP CHAIN ACTUATOR®



Belts and Pulleys



Pin Gear Drive Unit



POWER-LOCK®




Chains and Sprockets




CABLEVEYOR®



CLEANVEYOR®



Clean



Specimen Equipment **Specimen Equipment**

TOTAL TRAX®


"TOTAL TRAX" is a complete harnessed system featuring a cable carrier and cables/hoses. Cables/hoses with end connectors attached are delivered together with the cable carrier as a set, allowing for quick installation on machinery and equipment. TotalTrax allows users to source from just one supplier and reduce ordering time.



ZIP CHAIN ACTUATOR® Horizontal Use Compact Can be installed in narrower spaces than linear actuators. X-ray It can be installed in any direction, so it can also be used on rotating equipment. X-ray Equipment **POWER-LOCK®** intain Quali You can eliminate backlash by using "POWER-LOCK". Unlike keyways, "POWER-LOCK" doesn't suffer from backlash

even in forward-reverse operations, and thus can safely transfer a bed without loss of performance.

A bed can be moved over long strokes by using a long belt. Belts are quiet and allow for clean operation.





Low noise, low dust "CABLEVEYOR" cable carriers help maintain quiet, clean operations, and can transfer beds smoothly. Available in white upon request.



(4)





A Power Cylinder is used to tilt a gantry and enable image processing for difficult-to-image parts of the body. It offers both safe and silent operation by using a self-locking worm gear.








Computed Tomography System

Hanging



Rotating



Elevating




Transferring









5